# SAFETY DATA SHEET

 DATE ISSUED :
 4/28/2016

 MSDS REF. No :
 PM21R62



PM21R62

#### 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PM21R62 PRODUCT CODE: PM21R62

MANUFACTURER

RILEY PAINT COMPANY 860 WASHINGTON ST BURLINGTON, IA 52601 1-319-753-0105 **24 HR. EMERGENCY TELEPHONE NUMBER CHEMTREC (US Transportation)**: (800)424-9300 **CHEMTREC (International)** : 1(202)483-7616

OTHER MEANS OF IDENTIFICATION: Paint RECOMMENDED USE: Protective coating

#### 2. HAZARDS IDENTIFICATION

# GHS CLASSIFICATON IN OCCORDANCE WITH 29CFR 1910 "OSHA HCS"

GHS LABEL ELEMENTS SIGNAL WORDS: Warning Hazard Pictograms:



#### **GHS HAZARD STATEMENTS:**

- H226: Flammable liquid and vapor
- H302: Harmful if swallowed
- H317: May cause an allergic skin reaction
- H320: Causes eye irritation
- H335: May cause respiratory irritation
- H336: May cause drowsiness or dizziness
- H350: May cause cancer

# **GHS PRECAUTIONARY STATEMENTS:**

- **P201:** Obtain special instructions before use.
- **P202:** Do not handle until all safety precautions have been read and understood.
- **P210:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- **P211:** Do not spray on an open flame or other ignition source.
- **P251:** Do not pierce or burn, even after use.
- **P261:** Avoid breathing dust/fumes/gas/mist/vapors/spray.
- P262: Do not get in eyes, on skin, or on clothing.
- **P263:** Avoid contact during pregnancy/while nursing.
- P264: Wash ... thoroughly after handling.
- **P270:** Do not eat, drink or smoke when using this product.
- **P273:** Avoid release to the environment.
- **P280:** Wear protective gloves/protective clothing/eye protection/face protection.
- **P284:** [In case of inadequate ventilation] wear respiratory protection.
- **P331:** Do NOT induce vomiting.

**PHYSICAL APPEARANCE :** N/A. **IMMEDIATE CONCERNS :** N/A.

#### POTENTIAL HEALTH EFFECTS

**GENERAL COMMENTS:** Avoid contact with skin, eyes and clothing. Avoid prolonged and/or repeated contact with skin. Use with local exhaust ventilation. Wear proper PPE.

IRRITANCY: N/A. EYES : N/A. SKIN : N/A. SKIN ABSORPTION : N/A. INGESTION : N/A. INHALATION : N/A. CHRONIC : N/A. CARCINOGENICITY : N/A.

**REPRODUCTIVE TOXITY** 

**REPRODUCTIVE EFFECTS :** N/A. **TERATOGENIC EFFECTS :** N/A. **MUTAGENICITY :** N/A.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number	OEL	Vap mm hg	Vap Temp.
*XYLENE/DIMETHYLBENZENE	40	1330-20-7	OSHA	7.0	20'C
			PEL/TWA:		
			100 PPM,		
			ACGIH		
			TLV/STEL:		
			150 PPM,		
			OSHA/STEL:		

			150 PPM STEL		
CARBON BLACK PIGMENT	40	1333-86-4	ACGIH TLV: 3.5MG/M3	0.00000	0.00000
AROMATIC 150 HYDROCARBON SOLVENT	10	64742-94-5	RCP-TWA 17 ppm	0.59	20'C

\* Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

"WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM."

#### 4. FIRST AID MEASURES

EYES : N/A.

SKIN: N/A.

**INGESTION :** N/A.

**INHALATION** : N/A.

NOTES TO PHYSICIAN: N/A.

5. FIRE FIGHTING MEASURES

#### FLASH POINT AND METHOD (DEGREES CELCIUS) : 27.00 TCC

FLAMMABLE LIMITS : .8 TO 7.0

#### AUTOIGNITION TEMPERATURE : N/A.

FLAMMABLE CLASS : N/A.

GENERAL HAZARD : N/A.

EXTINGUISHING MEDIA: N/A.

**OTHER CONSIDERATIONS :** N/A.

FIRE FIGHTING PROCEDURES : N/A.

FIRE FIGHTING EQUIPMENT : N/A.

FIRE EXPLOSION : N/A.

6. ACCIDENTAL RELEASE MEASURES

Page 4 of 6

SMALL SPILL : N/A.

LARGE SPILL : N/A.

**ENVIRONMENTAL PRECAUTIONS** 

WATER SPILL : N/A.

LAND SPILL : N/A.

#### 7. HANDLING AND STORAGE

**GENERAL PROCEDURES :** N/A.

COMMENTS : N/A.

# 8. EXPOSURE CONTROLS\PERSONAL PROTECTION

**OSHA TABLE COMMENTS:** Reference Section 3 OEL for Exposure controls.

ENGINEERING CONTROLS: N/A.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: N/A.

SKIN: N/A.

**RESPIRATORY:** N/A.

WORK HYGIENIC PRACTICES: N/A.

**OTHER USE PRECAUTIONS:** N/A.

COMMENTS: N/A.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE : N/A. ODOR : N/A. COLOR : Refer to section 1. pH : N/A. Density/specific gravity : 1.14 Material VOC: 3.81

#### **10. STABILITY AND REACTIVITY**

STABLE : N/A.

Page 5 of 6

HAZARDOUS POLYMERIZATION : N/A.

CONDITIONS TO AVOID : N/A.

STABILITY : N/A.

POLYMERIZATION : N/A.

HAZARDOUS DECOMPOSITION PRODUCTS: N/A.

**INCOMPATIBLE MATERIALS :** N/A.

11. TOXICOLOGICAL INFORMATION

ACUTE ORAL LD50 (mg/kg): No data at this time.

ACUTE INHALATION LC50: No data at this time.

ACUTE DERMAL LD50 (mg/kg): No data at this time.

**12. ECOLOGICAL INFORMATION** 

ECOTOXICOLOGICAL INFORMATION: N/A.

CHEMICAL FATE INFORMATION: No data at this time.

**13. DISPOSAL CONSIDERATIONS** 

DISPOSAL METHOD: N/A.

EMPTY CONTAINER: N/A.

RCRA/EPA WASTE INFORMATION: N/A.

**14. TRANSPORT INFORMATION** 

DOT (DEPARTMENT OF TRANSPORTATION) PROPER SHIPPING NAME : N/A. TECHNICAL NAME : Paint and Paint related material.

# **15. REGULATORY INFORMATION**

UNITED STATES SARA TITLE III (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT) 311/312 HAZARD CATEGORIES: N/A. FIRE : N/A. PRESSURE GENERATING :N/A. REACTIVITY :N/A. ACUTE : N/A. CHRONIC : N/A. 313 REPORTABLE INGREDIENTS: N/A.

## 302/304 EMERGENCY PLANNING EMERGENCY PLAN: N/A.

# 16. OTHER INFORMATION

HMIS RATING				
Health :	HMISH			
Flammability :	HMISF			
Reactivity :	HMISR			
Personal Protection :	Х			

**MANUFACTURER DISCLAIMER :** N/A.

