SAFETY DATA SHEET



 DATE ISSUED :
 4/27/2016

 MSDS REF. No :
 LP3857

LP3857 GREEN DAYLIGHT LACQUER

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: LP3857 GREEN DAYLIGHT LACQUER

PRODUCT CODE: LP3857

MANUFACTURER
RILEY PAINT COMPANY
860 WASHINGTON ST
BURLINGTON, IA 52601
1-319-753-0105

24 HR. EMERGENCY TELEPHONE NUMBER CHEMTREC (US Transportation): (800)424-9300 **CHEMTREC (International)** : 1(202)483-7616

OTHER MEANS OF IDENTIFICATION: Paint RECOMMENDED USE: Protective coating

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATON IN OCCORDANCE WITH 29CFR 1910 "OSHA HCS"

GHS LABEL ELEMENTS
SIGNAL WORDS: Warning
Hazard Pictograms:







GHS HAZARD STATEMENTS:

- H226: Flammable liquid and vapor
- H302: Harmful if swallowed
- **H317**: May cause an allergic skin reaction
- H320: Causes eye irritation
- **H335**: May cause respiratory irritation
- **H336**: May cause drowsiness or dizziness
- H350: May cause cancer

GHS PRECAUTIONARY STATEMENTS:

- **P201:** Obtain special instructions before use.
- P202: Do not handle until all safety precautions have been read and understood.
- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- **P211:** Do not spray on an open flame or other ignition source.
- P251: Do not pierce or burn, even after use.
- **P261**: Avoid breathing dust/fumes/gas/mist/vapors/spray.
- P262: Do not get in eyes, on skin, or on clothing.
- P263: Avoid contact during pregnancy/while nursing.
- **P264**: Wash ... thoroughly after handling.
- P270: Do not eat, drink or smoke when using this product.
- **P273:** Avoid release to the environment.
- **P280**: Wear protective gloves/protective clothing/eye protection/face protection.
- **P284:** [In case of inadequate ventilation] wear respiratory protection.
- P331: Do NOT induce vomiting.

PHYSICAL APPEARANCE: N/A. IMMEDIATE CONCERNS: N/A.

POTENTIAL HEALTH EFFECTS

GENERAL COMMENTS: Avoid contact with skin, eyes and clothing. Avoid prolonged and/or repeated contact with skin. Use with local exhaust ventilation. Wear proper PPE.

IRRITANCY: N/A.

EYES: N/A. SKIN: N/A.

SKIN ABSORPTION: N/A.

INGESTION: N/A.
INHALATION: N/A.
CHRONIC: N/A.

CARCINOGENICITY: N/A.

REPRODUCTIVE TOXITY

REPRODUCTIVE EFFECTS: N/A. **TERATOGENIC EFFECTS:** N/A.

MUTAGENICITY: N/A.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight	CAS	OEL	Vap mm	Vap
	%	Number		hg	Temp.
*TOLUENE/METHYL BENZENE	23	108-88-3	OSHA PEL:	22.00000	20'C
			200, ACGIH		
			TLV: 100		
*XYLENE/DIMETHYLBENZENE	19	1330-20-7	OSHA	7.0	20'C
			PEL/TWA:		
			100 PPM,		

			ACGIH TLV/STEL: 150 PPM, OSHA/STEL: 150 PPM STEL		
BUTYL ACETATE	16	123-86-4	OSHA PEL: 150, ACGIH TLV: 150, OTHER: 200 STEL	8	20'C
*N-BUTYL ALCOHOL	4	71-36-3	OSHA PEL: 50, ACGIH TLV: 50	5.50000	20'C
ISOPROPYL ALCOHOL/IPA	4	67-63-0	OSHA PEL: 400, ACGIH TLV: 400, OTHER: 500 STEL	32.25	20'C

^{*} Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

"WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM."

4. FIRST AID MEASURES

EYES: N/A.

SKIN: N/A.

INGESTION: N/A.

INHALATION: N/A.

NOTES TO PHYSICIAN: N/A.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD (DEGREES CELCIUS): 4.00 TCC

FLAMMABLE LIMITS: 1.0 TO 13.0

AUTOIGNITION TEMPERATURE: N/A.

FLAMMABLE CLASS: N/A.

GENERAL HAZARD: N/A.

EXTINGUISHING MEDIA: N/A.

OTHER CONSIDERATIONS: N/A.

FIRE FIGHTING PROCEDURES: N/A.

FIRE FIGHTING EQUIPMENT: N/A.

FIRE EXPLOSION: N/A.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: N/A.

LARGE SPILL: N/A.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: N/A.

LAND SPILL: N/A.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: N/A.

COMMENTS: N/A.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

OSHA TABLE COMMENTS: Reference Section 3 OEL for Exposure controls.

ENGINEERING CONTROLS: N/A.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: N/A.

SKIN: N/A.

RESPIRATORY: N/A.

WORK HYGIENIC PRACTICES: N/A.

OTHER USE PRECAUTIONS: N/A.

COMMENTS: N/A.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: N/A.

ODOR: N/A.

COLOR: Refer to section 1.

pH: N/A.

Density/specific gravity: 0.94

Material VOC: 5.16

10. STABILITY AND REACTIVITY

STABLE: N/A.

HAZARDOUS POLYMERIZATION: N/A.

CONDITIONS TO AVOID: N/A.

STABILITY: N/A.

POLYMERIZATION: N/A.

HAZARDOUS DECOMPOSITION PRODUCTS: N/A.

INCOMPATIBLE MATERIALS: N/A.

11. TOXICOLOGICAL INFORMATION

ACUTE ORAL LD50 (mg/kg): No data at this time.

ACUTE INHALATION LC50: No data at this time.

ACUTE DERMAL LD50 (mg/kg): No data at this time.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: N/A.

CHEMICAL FATE INFORMATION: No data at this time.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: N/A.

EMPTY CONTAINER: N/A.

RCRA/EPA WASTE INFORMATION: N/A.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: N/A.

TECHNICAL NAME: Paint and Paint related material.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: N/A.

FIRE: N/A. PRESSURE GENERATING :N/A. REACTIVITY:N/A. ACUTE: N/A. CHRONIC: N/A.

313 REPORTABLE INGREDIENTS: N/A.


302/304 EMERGENCY PLANNING

EMERGENCY PLAN: N/A.

16. OTHER INFORMATION

HMIS RATING				
Health:	2			
Flammability :	3			
Reactivity:	0			
Personal Protection:	Χ			

NFPA CODES



MANUFACTURER DISCLAIMER: N/A.