

SAFETY DATA SHEET



DATE ISSUED :	4/27/2016
MSDS REF. No :	LP4037

LP4037B CYAN BLUE TOPCOAT

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: LP4037B CYAN BLUE TOPCOAT
PRODUCT CODE: LP4037

MANUFACTURER
 RILEY PAINT COMPANY
 860 WASHINGTON ST
 BURLINGTON, IA 52601
 1-319-753-0105

24 HR. EMERGENCY TELEPHONE NUMBER
CHEMTREC (US Transportation): (800)424-9300
CHEMTREC (International) : 1(202)483-7616

OTHER MEANS OF IDENTIFICATION: Paint
RECOMMENDED USE: Protective coating

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION IN ACCORDANCE WITH 29CFR 1910 "OSHA HCS"

GHS LABEL ELEMENTS

SIGNAL WORDS: Warning

Hazard Pictograms:



GHS HAZARD STATEMENTS:

- **H226:** Flammable liquid and vapor
- **H302:** Harmful if swallowed
- **H317:** May cause an allergic skin reaction
- **H320:** Causes eye irritation
- **H335:** May cause respiratory irritation
- **H336:** May cause drowsiness or dizziness
- **H350:** May cause cancer

GHS PRECAUTIONARY STATEMENTS:

- **P201:** Obtain special instructions before use.
- **P202:** Do not handle until all safety precautions have been read and understood.
- **P210:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- **P211:** Do not spray on an open flame or other ignition source.
- **P251:** Do not pierce or burn, even after use.
- **P261:** Avoid breathing dust/fumes/gas/mist/vapors/spray.
- **P262:** Do not get in eyes, on skin, or on clothing.
- **P263:** Avoid contact during pregnancy/while nursing.
- **P264:** Wash ... thoroughly after handling.
- **P270:** Do not eat, drink or smoke when using this product.
- **P273:** Avoid release to the environment.
- **P280:** Wear protective gloves/protective clothing/eye protection/face protection.
- **P284:** [In case of inadequate ventilation] wear respiratory protection.
- **P331:** Do NOT induce vomiting.

PHYSICAL APPEARANCE : N/A.

IMMEDIATE CONCERNS : N/A.

POTENTIAL HEALTH EFFECTS

GENERAL COMMENTS: Avoid contact with skin, eyes and clothing. Avoid prolonged and/or repeated contact with skin. Use with local exhaust ventilation. Wear proper PPE.

IRRITANCY: N/A.

EYES : N/A.

SKIN : N/A.

SKIN ABSORPTION : N/A.

INGESTION : N/A.

INHALATION : N/A.

CHRONIC : N/A.

CARCINOGENICITY : N/A.

REPRODUCTIVE TOXITY

REPRODUCTIVE EFFECTS : N/A.

TERATOGENIC EFFECTS : N/A.

MUTAGENICITY : N/A.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number	OEL	Vap mm hg	Vap Temp.
PETROLEUM SOLVENT, VM&P NAPHTHA	38	64742-49-0	OSHA PEL: 300 PPM, ACGIH TLV: 300 PPM	6.5	20'C
*XYLENE/DIMETHYLBENZENE	17	1330-20-7	OSHA PEL/TWA:	7.0	20'C

			100 PPM, ACGIH TLV/STEL: 150 PPM, OSHA/STEL: 150 PPM STEL		
TITANIUM DIOXIDE PIGMENT	12	13463-67-7	OSHA PEL: 10mg/m3, ACGIH TLV: 10mg/m3, OTHER: 10mg/m3	0.00000	0.00000
AROMATIC 150 HYDROCARBON SOLVENT	2	64742-94-5	RCP-TWA 17 ppm	0.59	20'C

* Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

"WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM."

4. FIRST AID MEASURES

EYES : N/A.

SKIN : N/A.

INGESTION : N/A.

INHALATION : N/A.

NOTES TO PHYSICIAN: N/A.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD (DEGREES CELCIUS) : 20.00 TCC

FLAMMABLE LIMITS : .8 TO 7.0

AUTOIGNITION TEMPERATURE : N/A.

FLAMMABLE CLASS : N/A.

GENERAL HAZARD : N/A.

EXTINGUISHING MEDIA : N/A.

OTHER CONSIDERATIONS : N/A.

FIRE FIGHTING PROCEDURES : N/A.

FIRE FIGHTING EQUIPMENT : N/A.

FIRE EXPLOSION : N/A.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL : N/A.

LARGE SPILL : N/A.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL : N/A.

LAND SPILL : N/A.

7. HANDLING AND STORAGE

GENERAL PROCEDURES : N/A.

COMMENTS : N/A.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

OSHA TABLE COMMENTS: Reference Section 3 OEL for Exposure controls.

ENGINEERING CONTROLS: N/A.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: N/A.

SKIN: N/A.

RESPIRATORY: N/A.

WORK HYGIENIC PRACTICES: N/A.

OTHER USE PRECAUTIONS: N/A.

COMMENTS: N/A.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE : N/A.

ODOR : N/A.

COLOR : Refer to section 1.

pH : N/A.

Density/specific gravity : 0.97

Material VOC: 4.65

10. STABILITY AND REACTIVITY

STABLE : N/A.

HAZARDOUS POLYMERIZATION : N/A.

CONDITIONS TO AVOID : N/A.

STABILITY : N/A.

POLYMERIZATION : N/A.

HAZARDOUS DECOMPOSITION PRODUCTS: N/A.

INCOMPATIBLE MATERIALS : N/A.

11. TOXICOLOGICAL INFORMATION

ACUTE ORAL LD50 (mg/kg): No data at this time.

ACUTE INHALATION LC50: No data at this time.

ACUTE DERMAL LD50 (mg/kg): No data at this time.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: N/A.

CHEMICAL FATE INFORMATION: No data at this time.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: N/A.

EMPTY CONTAINER: N/A.

RCRA/EPA WASTE INFORMATION: N/A.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME : N/A.

TECHNICAL NAME : Paint and Paint related material.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: N/A.

FIRE : N/A. PRESSURE GENERATING :N/A.

REACTIVITY :N/A. ACUTE : N/A. CHRONIC : N/A.

313 REPORTABLE INGREDIENTS: N/A.


302/304 EMERGENCY PLANNING

EMERGENCY PLAN: N/A.

16. OTHER INFORMATION

HMIS RATING	
Health :	2
Flammability :	3
Reactivity :	0
Personal Protection :	X

NFPA CODES



MANUFACTURER DISCLAIMER : N/A.